


MERCHANDISING SOLUTIONS









BUILT-IN HEATED CERAMIC BLACK GLASS SHELVES

For: Pass-through areas, buffet lines and as a tempting hors d'oeuvre display. Available in Portable and Built-In models.



HBGB-7218

Dimensions: 72"W x 18"D x 21/4"H (1829 x 457 x 55 mm) Volts: 120, single phase. Watts: 1260 Amps: 10.5 Export voltages available. Weight: 74 lbs. (34 kg)



Options (Not for Retrofit): Flush Mount Control with Lighted On/Off Rocker Switch, and Trim Ring, both options available in Stainless Steel (Standard) or Designer* Black Powdercoated.

DECORATIVE HEAT LAMPS/LUMINAIRES

For: Holding food warm in kitchen work areas, waitress pickup stations, or customer serving points, while enhancing your décor. Customize with a variety of shade styles, colors, switch locations, and mounting arrangements (Build a Lamp at www.hatcocorp.com under Resources).



DL-775-RL



Dimensions: 775 Lamp Shade – $10\frac{1}{2}$ "W x $8\frac{1}{2}$ "H (267 x 216 mm), Volts: 120, single phase (240V Export Models). Weight: 6-10 lbs. (3-6 kg)

Options (Not for Retrofit): Designer* Colors, Gloss ♥ Finishes, Plated Finishes, White Cord (Black Standard on C and R mounts only), and Luminaire Lighting (200W bulb maximum - not included).

Accessories: 250W or 375W Uncoated and Coated Clear or Red Bulbs, Black or White Track Mount Bar (120 volt only, maximum 1920W per any track length) in 4', 8', or 12' (1219, 2438, or 3658 mm). Black or White Additional Track Installation, and Modification Kit.

FLAV-R-SAVOR® HUMIDIFIED PORTABLE HOLDING CABINETS

For: Holding hot food product at proper serving temperatures in advance of peak serving periods. Thermostatically-controlled heat and humidity allows you to hold product for hours.



FSHC-6W1



Dimensions: 25%"W x 291/2"D x 321/6"H (645 x 749 x 816 mm) Volts: 120, single phase. Watts: 1697 Amps: 14.1 Export voltages available. Weight: 175 lbs. (79 kg)

Options (Not for Retrofit): Designer* Colors, Stainless Steel Side Panels, Back/Top (No back panel on two-door models), Stainless Steel Door (In lieu of Glass Door), 2" (51 mm) Low Profile Casters (In lieu of Standard Casters), Stacking Kit, and Cord Wind.


Accessories: Bumper Kit, Extra Pan Slides, and Sheet Pans.



FSHC-7-1 (with optional Stacking Kit)

Dimensions: 22¾"W x 29½"D x 35½"H (578 x 749 x 892 mm) Volts: 120, single phase. Watts: 1697 Amps: 14.1 Export voltages available. Weight: 168 lbs. (76 kg)

Options (Not for Retrofit): Designer* Colors, Stainless Steel Side Panels, Back/Top (No back panel on two-door models), Stainless Steel Door (In lieu of Glass Door), Heavy-Duty Stainless Steel Door with Positive Latch, Audible Low-Water Alarm, 2" (51 mm) Low Profile Casters or 4" (102 mm) Adjustable Legs or 2" (51 mm) Stainless Steel Legs (In lieu of Standard Casters), Stacking Kit, and Cord Wind.











DRAWER WARMERS

For: Holding a variety of hot foods safely at peak serving temperatures, from meat to vegetables to rolls. Available in a one-, two-, three-, fourdrawer freestanding model or one-, two-, three-drawer built-in models in narrow or standard widths.



HDW-3B

Dimensions: 281/8" W x 223/8" D x 301/8" H (714 x 568 x 765 mm) Volts: 120, single phase. Watts: 1350 Amps: 11.3 Export voltages available. Weight: 223 lbs. (101 kg)

Options (Not for Retrofit): Designer* Colors -Drawer front only, DTC Electronic Controls, Oversized Drawer Frame and Pan or Biscuit Pan Drawer in lieu of Standard Drawer with Pan, and Chip Guard.

Accessories: Water/Spillage Pan and Splash Baffle (One per drawer), and Stainless Steel Food Pans.



GLO-RAY® PORTABLE ROUND HEATED STONE SHELF

For: Creating uniform heat across the entire simulated stone Swanstone® surface, an approved food-safe material. Ideal for use on buffet lines and hors d'ouevre displays, these unique foodwarmers are available in Portable and Built-In models, and in four Decorative Stone colors to match or compliment any display area.



GRSSR-16, -18, -20



Dimensions: 16" Diam. (406 mm) Volts: 120, single phase. Watts: 250 Amps: 2.1 Export voltages available. Weight: 15 lbs. (7 kg) Dimensions: 18" Diam. (457 mm) Volts: 120, single phase. Watts: 325 Amps: 2.7 Export voltages available. Weight: 15 lbs. (7 kg)

Dimensions: 20" Diam. (508 mm) Volts: 120, single phase. Watts: 400 Amps: 3.3 Export voltages available. Weight: 20 lbs. (9 kg)

Options (Not for Retrofit): Designer* Colors, Decorative Stone Colors†, and 3" and 5" risers (76 and 127mm).

GLO-RAY® DESIGNER INFRARED STRIP HEATER

For: Safely keeping all hot foods at optimum serving temperatures longer and is ideal for front-of-the-house use. Units are offered in continuous housings up to 88" (2235 mm), are available in a variety of colors, and include a 4" (356 mm) Designer* non-adjustable stands.



GR2AL-84

Dimensions: 88"W (2235 mm) Volts: 120, 120/208 or 120/240, single phase. Watts: 1860 Export voltages available. Weight: 123 lbs. (56 kg)

Options (Not for Retrofit): Designer* Colors on Unit. Inset Panel and Remote Control

Enclosure, Designer Corner Caps - Black (Standard) or Dark Gray, Sneeze Guards, - one or two sided, Designer Non-Adjustable Stands or 4" (102 mm) Designer Overhead Mounts in lieu of 14" (365 mm) Standard Legs, Extra Lamps, and Leads.









*Gloss Finish available for Decorative Heat Lamp/Luminaires Only.



Radiant Red

Smooth White*

Clear Brush Metal Finish*

Bermuda Sand





HEATED WELLS

For: Holding foods in full-size units that are grouped together in a modular fashion to provide customers with a complete steam table contained within one piece of equipment for a clean, integrated look.



HWBI-5MA

Dimensions: 711/2"W x 231/8"D x 91/8"H (1816 x 600 x 243 mm) Volts: 208 or 240, single phase. Watts: 6015 Amps: 28.9-25.1 Export voltages available. Weight: 150 lbs. (68 kg)



Options (Not for Retrofit): Surface Hole Mounting to Countertop (Includes EZ Lock), Stud Mounting to Countertop (Includes EZ Lock) and Three-Phase Wiring.

Accessories: Full-Size, Half-Size or Third-Size Stainless Steel Food Pans, 4-Quart (4-Liter) or 7-Quart (7-Liter) Round Pan, Notched Lid or Hinged and Notched Lid, Adapters to Convert Warmers to Hold 4-, or 7-Quart (4-, 7-liter) Round Pans, 34" or 1" NPT Ball or Gate Valve for Unit with Drains, and 12" (305 mm) or 20" (508 mm) Pan Support Bars.



HWB-4, -7, -11 QT

HWB-4QT Dimensions: 81/4" Diam. x 91/2"H (210 x 241 mm) Volts: 120, single phase. Watts: 500 Amps: 4.2 Other Domestic and Export voltages available. Weight: 9 lbs. (4 kg)



HWB-7QT Dimensions: 10%" Diam. x 8¾"H

(262 x 221 mm) Volts: 120, single phase. Watts: 500 Amps: 4.2 Other Domestic and Export voltages available. Weight: 10 lbs. (5 kg)

HWB-11QT Dimensions: 121/4" Diam. x 83/8"H (311 x 213 mm) Volts: 120, single phase. Watts: 500 Amps: 4.2 Other Domestic and Export voltages available. Weight: 11 lbs.

Options (Not for Retrofit): Designer* Colors – Flush Mount Control Box Bezel, Extended High Temp Power Lead Wire, Thermostat with 72" (1829 mm) Capillary, Larger Recessed Thermostatic Control, and WM Control Assembly.

Accessories: 4-Quart (4-Liter), 7-Quart (7-Liter), or 11-Quart (10-Liter) Round Pan, Notched Lid or Hinged and Notched Lid, and ¾" NPT Ball or Gate Valve for Unit with Drains.

SERV-RITE PORTABLE BUFFET WARMER

For: Keeping prepared foods at optimum serving temperatures without affecting quality. They are perfect for self-serve buffet areas and customer serving points.



SRBW-1

Dimensions: 32¾"W x 26"D x 23%"H (832 x 660 x 606 mm) Volts: 120, single phase. Watts: 1100 Amps: 9.2 Export voltages available. Weight: 68 lbs. (31 kg)



SRGBW-1

Dimensions: 32¾"W x 26"D x 23%"H (832 x 660 x 606 mm) Volts: 120, single phase. Watts: 950 Amps: 7.9 Export voltages available. Weight: 61 lbs. (28 kg)

Options (Not for Retrofit): Single-sided, right- or left-handed sneeze guard.

Accessories: Carving Station Pan (SRBW-1 only), and Half-Size Stainless Steel Pan.



For more models, visit www.hatcocorp.com

P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. Tel: (800) 558-0607 (414) 671-6350 Fax: (800) 543-7521 www.hatcocorp.com E-mail: equipsales@hatcocorp.com

Form No. Merchandising Brochure, Buffet

DECORATIVE CARVING STATION

For: Restaurants, hotels, country clubs, casinos, or custom catered events, giving you flexibility, style, and quality for your chef station.



DCSB400-3624-2



Dimensions: 36"W x 24"D x 34"-46"H (914 x 610 mm x 864-1168 mm) Volts: 120, single phase. Watts: 1300 Amps: 10.8 Export voltages available. Weight: 120 lbs. (54 kg)

Options (Not for Retrofit): Post and Lamp Shades in Three Plated Finishes* (Bright Brass, Bright Nickel-Standard, Antique Bronze), Heated Stone Base, Post Base, and Cutting Board in simulated stone (Swanstone* Decorative Stone Colors†).

Accessories: Coated Red Bulb, and additional Swanstone® Cutting Board with Juice Groove.

REFRIGERATED DROP-IN WELLS

For: Keeping prechilled food products at safe serving temperatures.




CWB-6

Dimensions: 84"W x 27"D x 25.5"H (2134 x 686 x 648 mm) Volts: 120, single phase. Watts: 1380 Amps: 11.5 Export voltages available. Weight: 285 lbs. (129 kg)

Options (Not for Retrofit): Five-Year Extended Parts Only Warranty on the Compressor.

Accessories: 12" (305mm) and 20" (508mm) Pan Support Bars,



GLO-RITE DISPLAY LIGHTS

For: Lighting your work surface or display areas, such as salad bars, with maximum brightness and durability.



HL-72

Dimensions: 72"W x 3"D x 2½"H (1829 x 76 x 64 mm) Volts: 120, single phase. Watts: 360 Amps: 3.0 Export voltages available. Weight: 15 lbs. (7 kg)

Options (Not for Retrofit): Designer* Colors, Halogen Bulbs, Remote, and Toggle Switches (Max. 15 amps).

Accessories: Adjustable Angle Bracket.



